


PREMIUM PIVOT DOOR - 4 SIDED FRAME (SHOWN RHR & LHR SWING)

OPTIONS: MID-RAIL OPTIONS - VERTICAL AND HORIZONTAL (DETAIL 3/1.01 INSIDE LEVER OPERATED LOCK TRIPLE POINT LOCKS ____I ____ - G50MH029 LHR (2)_____ <u>___</u> ____ ___ \bigtriangleup OUTSIDE <u>VIEW</u> <u>n</u> 3 3 3/8" 3 3/8" 3/4" " DLO 3/4"

" SW

" FD



CUSTOM DOOR (HEIGHT) GUIDELINES:

PREMIUM HINGED 4 SIDED = 21.17" RECOMENDED MIN HEIGHT

PREMIUM FRENCH 4 SIDED=210.14" RECOMENDED MAX HEIGHT

CUSTOM DOOR (WIDTH) GUIDELINES:

PREMIUM HINGED 4 SIDED = 13.29" RECOMENDED MIN WIDTH

☐ PREMIUM FRENCH 4 SIDED = 80.22" RECOMENDED MAXWIDTH

DOOR SWING CHART

COLOR OPTIONS:


- WHITE - BLACK
- BROWN
- SAHARA BROWN - LIGHT GRAY
- SILVER
- ALMOND
- BRONZE -- SAHARA GRAY
- CUSTOM

STRUCTURAL DISCLAIMER:

ALL CUSTOMERS WHO IN ANY WAY UTILIZE THIS PRODUCT ARE SOLELY RESPONSIBLE TO CONSULT A STRUCTURAL ENGINEER TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND SITE CONDITIONS. ALL INSTALLERS MUST BE QUALIFIED AND HAVE PROFESSIONAL KNOWLEDGE ABOUT COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS, SAFETY FACTORS, AND THE APPROPRIATE CHOICE OF FIXING MATERIAL AND PROCEDURES.


"INDUSTRY STANDARD" DOOR STYLES AND SWINGING DOOR PATTERNS

THERE ARE THREE BASIC DOOR STYLES TYPICALLY REFERRED TO THROUGHOUT THE INDUSTRY APPLICABLE TO THE VISTA SECURITY SCREEN PROTECTIVE SECURITY SCREEN DOOR SYSTEMS. BY IDENTIFYING YOUR BASIC DOOR STYLE AND SWING, IT WILL HELP MAKE CLEAR WHAT YOUR INTENTIONS ARE FOR THE PARTICULAR PROJECT. FOR MORE INFORMATION PLEASE CONTACT US AT(310) 886-1756 OR FAX US AT (310) 327-1180.



1'-0"=1'-0"

VCSSTA Securatry Screens South Source when the Word
1.01



PREMIUM PIVOT DOOR WITH 4 SIDED FRAME DETAILS

